



# WARMPOOL



## Warmpool Products

Warmpool SL Pool Products

**WARMPOOL**

C/ Monte 2, Urb Los Balcones 03186  
Torrevieja Alicante (Spain)

Tel. +34 635 611 455 ;  
+34 965 053 558

Website: [www.warmpool.eu](http://www.warmpool.eu)

Email: [info@warmpool.eu](mailto:info@warmpool.eu)



POOL COVER REEL

POOL COVER REEL



ITEM NO.	DESCRIPTION
WP-N	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
T81-3/170	81/76MM	3PCS X 1.7M	3.4M - 4.2M	70
T81-3/215		3PCS X 2.15M	4.3M - 5.55M	70
T81-3/244		3PCS X 2.44M	4.9M - 6.45M	68
T81-3/270		3PCS X 2.7M	5.4M - 7.2M	65
T81-3/320		3PCS X 3.2M	6.4M - 8.7M	65
U81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70
U81-3/244	81/76MM	3PCS X 2.44M	4.9M - 6.45M	68
U102-3/215	102/95MM	3PCS X 2.15M	4.3M - 5.55M	70
U102-3/244	102/95MM	3PCS X 2.44M	4.9M - 6.45M	68



ITEM NO.	DESCRIPTION
WP-R	In-ground Pool Cover Reel w/SS Frame and Force-reducing Device

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
T81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70
T81-3/244		3PCS X 2.44M	4.9M - 6.45M	68




ITEM NO.	DESCRIPTION
WP-P	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
T81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70
T81-3/244		3PCS X 2.44M	4.9M - 6.45M	68
T81-3/270		3PCS X 2.7M	5.4M - 7.2M	65
T81-3/320		3PCS X 3.2M	6.4M - 8.7M	65



ITEM NO.	DESCRIPTION
WP-B	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70
81-3/244	81/76MM	3PCS X 2.44M	4.9M - 6.45M	68
102-3/215	102/95MM	3PCS X 2.15M	4.3M - 5.55M	70
102-3/244	102/95MM	3PCS X 2.44M	4.9M - 6.45M	68
90-3/215	90/85MM	3PCS X 2.15M	4.3M - 5.55M	70
90-3/244	90/85MM	3PCS X 2.44M	4.9M - 6.45M	68
102-3/215	102/95MM	3PCS X 2.15M	4.3M - 5.55M	70
102-3/244	102/95MM	3PCS X 2.44M	4.9M - 6.45M	68



ITEM NO.	DESCRIPTION
WP-W	Above-ground Pool Cover Reel w/ABS Frame, Base Plate and Hexagonal Aluminium Tubes (7PCSx1.05M+1PCSx0.32M)

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
42-7/105+1/32	42/37MM	7PCS X 1.05M + 1 PC X 0.32M	4.2M -5.85M	25



ITEM NO.	DESCRIPTION
WP-WA	Above-ground Pool Cover Reel w/ABS Frame, Base Plate, Clamp and Hexagonal Aluminium Tubes (7PCSx1.05M+1PCSx0.32M)

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
42-7/105+1/32	42/37MM	7PCS X 1.05M + 1 PC X 0.32M	4.2M -5.85M	25
T81-3/170	81/76MM	3PCS X 1.7M	3.4M - 4.2M	70
T81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70



ITEM NO.	DESCRIPTION
WP-A	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
U81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70
U81-3/244	81/76MM	3PCS X 2.44M	4.9M - 6.45M	68
U102-3/215	102/95MM	3PCS X 2.15M	4.3M - 5.55M	70
U102-3/244	102/95MM	3PCS X 2.44M	4.9M - 6.45M	68



ITEM NO.	DESCRIPTION
WP-AL	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
U81-3/215	81/76MM	3PCS X 2.15M	4.3M - 5.55M	70
U81-3/244	81/76MM	3PCS X 2.44M	4.9M - 6.45M	68
U102-3/215	102/95MM	3PCS X 2.15M	4.3M - 5.55M	70
U102-3/244	102/95MM	3PCS X 2.44M	4.9M - 6.45M	68





ITEM NO.	DESCRIPTION
WP-AP	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
T81-3/215 T81-3/244	81/76MM	3PCS X 2.15M 3PCS X 2.44M	4.3M - 5.55M 4.9M - 6.45M	70 68



ITEM NO.	DESCRIPTION
WP-D	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
T81-3/215 T81-3/244	81/76MM	3PCS X 2.15M 3PCS X 2.44M	4.3M - 5.55M 4.9M - 6.45M	70 68



ITEM NO.	DESCRIPTION
WP-A+	In-ground Pool Cover Reel w/SS Frame

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
U75-3/215 U75-3/244	75/70.5MM	3PCS X 2.15M 3PCS X 2.44M	4.3M - 5.55M 4.9M - 6.45M	70 68



ITEM NO.	DESCRIPTION
WP-C	Above-ground Pool Cover Reel w/SS Frame, Base Plate and Aluminium Tubes

T=Grooveless tube U=Grooved tube	TUBE DIAMETER	TUBE LENGTH	ASSEMBLED LENGTH	LOAD CAPACITY
T81-3/215 T81-3/244	81/76MM	3PCS X 2.15M 3PCS X 2.44M	4.3M - 5.55M 4.9M - 6.45M	40 35





### 10 REASONS TO PEDAL IN THE WATER



#### 1.- IT MOVES YOUR HEART

It increases the intensity of the exercise, you will increase your pulsations which is the key of an aerobic activity.

#### 2.- IT SHAPES YOUR LEGS

The water resistance acts on the whole submerged musculature, which guarantees the muscles toning.

#### 3.- WITHOUT IMPACT ON THE ARTICULATION

The water weightlessness is perfect for people who have muscle or articulation pain or overweight.

#### 4.- WEIGHT LOSS

The water resistance acts over the whole body musculature without letup, the best formula to burn fats up to 800cal/hour.

#### 5.- IT IMPROVES YOUR BREATH

The aerobic activity combined with the air humidification improves your lungs ventilation.

#### 6.- CELLULITIS OUT

The submerged pedalling gives a continuous massage on your legs, it increases the muscle activity and acts directly on the cellulitis, erasing it progressively.

#### 7.- IT PREVENTS VARICOSE VEINS

The pressure caused by the water on the body compensates the blood pressure and improves the blood flow. Such an exercise is perfect for anyone who suffers from varicose veins.

#### 8.- IT IMPROVES BLOOD FLOW

The hydrostatic pressure of the water added to pedalling increase in great manner your blood flow consequently reducing greatly the appearing of varicose veins.

#### 9.- PUSH YOURSELF WITHOUT NOTICING

You will perspire being already wet and without realising it you get refreshed, this is thermo-regulation. This makes the activity even more agreeable.

#### 10.- HAVE FUN

“...The resistance and weightlessness of the water are perfect elements for rehabilitation...”



ITEM NO.

WPB1504

DESCRIPTION

#### INTRODUCTION:

The water bike is made of Stainless Steel 316. It will seduce you with its sleek design, ease of use and the quality of its variable resistance. The resistance of the pedal could be adjusted. Everybody can achieve a quality training adapted to their capacity. Water bike has been chosen by many professionals from different sectors: fitness centers, rehabilitation centers, hotels and resorts, wellness centers, football clubs for professional athletes and for post-recovery or post-traumatic programs under the supervision of a specialized medic.

#### ADVANTAGES:

Experts say it's a high quality exercise. We can achieve a high-performance workout, burn a significant amount of calories with a minimum joint impact. The continued resistance of the water reduces the session time compared with land-based activities.

PACKAGE

BX



ITEM NO.

WPB1504A

DESCRIPTION

#### Under water elliptical trainer

Function and Feature: Simulating step exercise under water, to reduce the damage for muscle.

Application scope: Underwater fitness and recreation.

Method: Adjust the movements of hands and feet to rotate the cranked rod, which makes hydraulic pump start working. Use Water pressure size to control the amount of exercise.

Workmanship: Use Stainless steel 316, which is much more stronger, durable and anti-rust. The original design of water pressure structure is an innovation for this product.

PACKAGE

BX